IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Szafraniec et al.

Serial No.:

10/046,521

Filed:

January 14, 2002

For:

TIME DIFFERENCE SYNCHRONISATION FOR DETER-MINATION OF A PROPERTY OF AN OPTICAL DEVICE

Notice of Allowance Date:

June 21, 2004

Examiner:

Michael A. Lyons

Group Art Unit:

2877

Confirmation No.:

3471

Customer No.:

27,623

Attorney Docket: 10010748

Mail Stop Issue Fee COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, VA 22313-1450 Attention: Official Draftsperson

CORRECTION OF INFORMALITIES

Dear Sir:

In response to the informalities enclosed with the Notice of Allowability dated June 21, 2004, enclosed herewith is the formal drawing (1 sheet) for Figure 1 for the above-identified patent application.

Please charge any additional fees or credit any such fees, if necessary to Deposit Account No. **50-1078** in the name of Agilent Technologies, Inc.. A duplicate copy of this sheet is attached.

Respectfully submitted,

Date: September 13, 2004

Paul D. Greeley

Reg. No. 31,019

Ohlandt, Greeley, Ruggiero & Perle, L.L.P.

One Landmark Square, 10th Floor Stamford, Connecticut 06901-2682

(203) 327-4500

CERTIFICATE OF MAILING

I HEREBY CERTIFY THAT THIS CORRESPONDENCE IS BEING DEPOSITED WITH THE U.S. POSTAL SERVICE AS FIRST CLASS MAIL IN AN ENVELOPE ADDRESSED TO: MAIL STOP ISSUE FEE, COMMISSIONER FOR PATENTS, P.O. BOX 1450, ALEXANDRIA, VA 22313-1450, ON September 13, 2004.

Lesley-Jean Hill
NAME OF PERSON MAILING PAPER

Jesly Jea HU

9/13/04

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

٨	nr	lica	nt/	٠١٠
~	IJL.	IIILa	11 1 1 1 1	3 I.

Szafraniec et al.

Serial No.:

10/046,521

Filed:

January 14, 2002

For:

TIME DIFFERENCE SYNCHRONISATION FOR DETERMINATION OF A

PROPERTY OF AN OPTICAL DEVICE

Art Unit:

2877

Examiner:

Michael A. Lyons

Confirmation No.:

3471

Customer No.:

27623

Attorney Docket No.:

10010748

Mail Stop Issue Fee Commissioner for Patents P.O. Box 1450

Alexandria, VA 22313-1450

Dear Sir:

We are enclosing:

- PTOL-85 (in duplicate) 1.
- Replacement Fig. 1 2.
- Statement on the Reasons for Allowance Under 37 CFR 1.104(e); 3.
- Transmittal letter in duplicate; and 4.
- 5. Postcard.

Please charge the fee of \$1,630.00 and any additional fees or credit any such fees, if necessary to Deposit Account No. 50-1078 in the name of Agilent Technologies, Inc. A duplicate copy of this sheet is attached.

Respectfully submitted,

Date: September 13, 2004

Paul D. Greeley Reg. No. 31,019

Ohlandt, Greeley, Ruggiero & Perle, L.L.P.

One Landmark Square, 10th Floor Stamford, Connecticut 06901-2682

(203) 327-4500

CERTIFICATE OF MAILING

I HEREBY CERTIFY THAT THIS CORRESPONDENCE IS BEING DEPOSITED WITH THE U.S. POSTAL SERVICE AS FIRST CLASS MAIL IN AN ENVELOPE ADDRESSED TO: MAIL STOP ISSUE FEE, COMMISSIONER FOR PATENTS, P.O. BOX 1450, ALEXANDRIA, VA 22313-1450, , ON_September 13, 2004

Lesley-Jean Hill

NAME

DATE

SEP 1 5 2004 CE LINETHE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants:

Szafraniec et al.

Serial No.:

10/046,521

For:

TIME DIFFERENCE SYNCHRONISATION FOR DETERMINATION

OF A PROPERTY OF AN OPTICAL DEVICE

Filed:

14 JAN 2002

Examiner:

Michael A. Lyons

Art Unit:

2877

Confirmation No.:

3471

Customer No.:

27,623

Attorney Docket No.: 10010748

COMMENTS ON STATEMENT OF REASONS FOR ALLOWANCE

Mail Stop Issue Fee Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

Applicants received a Notice of Allowance dated 21 JUN 2004, for the present application. The Notice of Allowance was accompanied by a Notice of Allowability dated 16 JUN 2004.

Page 2 of the Notice of Allowability includes an examiner's statement of reasons for allowance that states:

As for claims 1, 5, 6, and 11, the prior art of record, taken either alone or in combination, fails to disclose or render obvious a method and software program for the determination of an optical property of an optical device under

Art Unit: 2877

test, where the time-delay between the first signal, the measurement signal from the measurement interferometer and DUT, and the second signal, the reference signal from the reference interferometer, is compensated for...(emphasis added).

None of claims 1, 5, 6 and 11 recite either of (a) the measurement signal from the measurement interferometer, or (b) the reference signal from the reference interferometer. The inclusion of such recitals in the claims is not supported by the file history of the present application, and more particularly, during prosecution, there was no suggestion that the claims be restricted to include these recitals. Applicants respectfully submit that claims 1, 5, 6 and 11 should be entitled to their full scope of equivalents and that no file prosecution history estoppel be established based on the inclusion of these recitals in the examiner's statement of reasons for allowance.

Respectfully submitted,

9-13-04

Date

Paul D. Greeley, Esq.

Reg. No. 31,019

Attorney for the Applicants

Ohlandt, Greeley, Ruggiero & Perle, L.L.P.

One Landmark Square, 10th Floor

Stamford, CT 06901-2682

Tel: 203-327-4500 Fax: 203-327-6401